

USB C to HDMI External Video Adapter with USB-A Hub, USB-C PD Charging, & Gigabit Ethernet Ports, 1920 x 1080 (1080p)

MODEL NUMBER: **U444-06N-HGU-C**



Description

The U444-06N-HGU-C USB 3.1 Gen 1 USB-C to HDMI DisplayPort Alternate Mode External Video Adapter supports USB DisplayPort Alternate Mode for displaying audio/video signals on an HDMI monitor, television or projector via your computer, laptop or tablet's USB-C port. It's an ideal tool for multitasking, editing documents, giving presentations at trade shows and conferences, or watching movies and playing video games.

No software, drivers or external power supply is needed. Connect the adapter's USB-C male plug to the USB-C port on your device. Then, connect the adapter's female HDMI port to a monitor using an HDMI cable (such as Tripp Lite's P568-Series) to enjoy full HDMI video and audio. The U444-06N-HGU-C supports high-definition video resolutions up to 1920 x 1080 (1080p) at 60 Hz.

The U444-06N-HGU-C includes an RJ45 Gigabit Ethernet port. Connect to a network with a UTP cable, such as Tripp Lite's N201-Series Cat6 cables, and enjoy true 10/100/1000 Mbps Ethernet speeds.

The USB 3.1 hub port connects USB-A peripherals, such as a thumb drive or printer. It's backward compatible with previous USB generations, and supports USB 3.1 Gen 1 data transfer rates up to 5 Gbps.

The USB-C Power Delivery (PD) charging port supports power input up to 20V 3A (60W). It powers the device that the U444-06N-HGU-C is plugged into, as well as a peripheral plugged into its USB-A port, by connecting the charging port to a USB-C wall charger.

Highlights

- Supports USB DisplayPort Alternate Mode for transmitting video
- Supports HD video resolutions up to 1920 x 1080 (1080p)
- Supports true 10/100/1000 Mbps Ethernet network speeds
- Supports USB 3.1 Gen 1 data transfer rates up to 5 Gbps
- USB-C Power Delivery (PD Charging) port connects to wall charger to power connected computer
- PD Charging port supports power input up to 20V 3A
- Plug-and-play—no software or drivers required

System Requirements

- USB-C device that supports USB DisplayPort Alternate Mode
- HDMI-enabled display

Package Includes

- U444-06N-HGU-C USB 3.1 Gen 1 USB-C to HDMI DisplayPort Alternate Mode External Video Adapter with USB-C PD Charging
- Owner's manual



Features

Easy to Add an HDMI Display

- Supports USB DisplayPort Alternate Mode for transmitting audio/video to an HDMI display via your computer, tablet, laptop or smartphone's USB-C port
- Ideal for multitasking, viewing spreadsheet data, editing documents and giving presentations, and watching movies and playing video games
- Plug-and-play—no software, external power supply or drivers required
- Supports HD video resolutions up to 1920 x 1080 (1080p) @ 60 Hz

RJ45 Gigabit Ethernet Port

- Supports true 10/100/1000 Mbps network speeds

USB-A Hub Port

- Connect USB peripherals, such as a thumb drive or printer, to your device
- Backward compatible with previous USB generations
- Supports USB 3.1 Gen 1 data transfer rates up to 5 Gbps

USB-C Power Delivery Port for Charging Portable Devices

- Supports power input up to 20V 3A (60W)
- Connects to USB-C wall charger to power connected devices

Specifications

CONNECTIONS	
Side A - Connector 1	USB C (MALE)
Side B - Connector 1	HDMI (FEMALE)
Side B - Connector 2	USB 3.0 A (FEMALE)
Side B - Connector 3	USB C (FEMALE)
WARRANTY	
Product Warranty Period (Worldwide)	1-year limited warranty

© 2017 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<https://www.tripplite.com/products/product-certification-agencies>