

Components of electronic housing - ME MAX 90 U-U1 KMGY - 2200546

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://download.phoenixcontact.com)



Electronics housing, consisting of: housing shells left and right, 2 x front plate, 2 x transparent cover, intermediate element, metal foot catch and spring, open housing, 16-pos. (4 x 4 pos.), width: 90 mm, color: light gray

Product Features

- Plug-in connection with screw, spring-cage or fast connection technology
- ☑ DIN rail bus connector as an option
- ☑ Large front surface for high-pos. plugs or operating and setting elements
- ✓ Large PCB surface despite compact housing dimensions
- Easy module replacement without interrupting the contact chain
- 🗹 Fixed or plug-in connection technology can be combined on up to three connection levels, with different pitches

Key commercial data

Packing unit	11
Minimum order quantity	10 1
Custom tariff number	85472000
Country of origin	Germany

Technical data

General

Housing type	Complete housing
Housing material	Polyamide
Color	light gray

Ambient conditions

Ambient temperature (operation)	-40 °C 105 °C

Dimensions



Components of electronic housing - ME MAX 90 U-U1 KMGY - 2200546

Technical data

Dimensions

Length	99 mm
Constructional height	114.5 mm
Width	90 mm

Technical data

Inflammability class according to UL 94	V0
Power dissipation at 20°C in the horizontal mounting position	10.4 W 18.9 W
Number of positions	16

Classifications

eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 7.0	27182702
eCl@ss 8.0	27182702

ETIM

ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC001031

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

© Phoenix Contact 2013 - all rights reserved http://www.phoenixcontact.com