

## Mounting kit - nLC-OP1-MKT - 2701140

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Mounting kit




### Product description

Mounting kit for Nanoline Operator Panel. Includes receptor housing installed in base unit, mounting brackets for installation in cabinet and cable to connect base unit.



### Key commercial data

Packing unit	1
Minimum order quantity	252
Catalog page	Page 15 (AX-2011)
GTIN	 4 046356 325271
Custom tariff number	85366990
Country of origin	INDIA

### Technical data

#### Supply

Max. current consumption	50 mA
Typical current consumption	32 mA

#### General data

Width	76 mm
Height	31.5 mm
Depth	46 mm
Mounting type	Control cabinet door mounting
Ambient temperature (operation)	0 °C ... 50 °C
Ambient temperature (storage/transport)	0 °C ... 60 °C

## Mounting kit - nLC-OP1-MKT - 2701140

### Articles in set

Mounting unit - NLC-OP1-MKT-BASE - 2701250



Panel to mount in base unit, RJ-45 connector for remote Operator Panel

Mounting brackets - NLC-OP1-MKT-BRACKET - 2701263



Mounting bracket for remote installation of Operator Panel

Conductor - NLC-OP1-MKT-CBL - 2701438



Cable for operator terminal

### Classifications

#### eclass

eCl@ss 4.0	27240101
eCl@ss 4.1	27240101
eCl@ss 5.0	27242216
eCl@ss 5.1	27249290
eCl@ss 6.0	27242216
eCl@ss 7.0	27242216

#### etim

ETIM 2.0	EC001417
ETIM 3.0	EC001417
ETIM 4.0	EC002584

#### unspsc

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	43172015
UNSPSC 12.01	43201404
UNSPSC 13.2	43201404

## Mounting kit - nLC-OP1-MKT - 2701140

### Accessories

#### Accessories

Cover - NLC-OP1-COVER - 2701276




Replacement cover for base unit

---

## Drawings

### Schematic diagram



---

© Phoenix Contact 2012 - all rights reserved  
<http://www.phoenixcontact.com>