

556-00189

HellermannTyton

Article Number: 556-00189

Description: Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, White, 1/pkg



| | | |
|-----------------------------|------------------------|--|
| Base Data | Local Order Number | 556-00189 |
| | Type | TTWHITEOUT |
| | Color | White (WH) |
| | Features and benefits | <ul style="list-style-type: none"> • Ribbons are resin based for the best print durability. • Ribbons are available to fit all HellermannTyton printers for easy resupply. • Ribbons are available in colors for maximizing design printing capabilities. • Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements. |
| | Quantity Per | EA |
| | Product Description | HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance. |
| | Local Order Number 2 | TTWHITEOUT |
| | Short Description | Thermal Transfer Ribbon, 4.33" x 984', 1" Core, PET, White, 1/pkg |
| | | |
| Product Dimensions | Length L (Imperial) | 984.0ft |
| | Length L (Metric) | 300.0m |
| | Reel Length (imperial) | 984.3ft |
| | Variant | Colored ribbon |
| | Width W (Imperial) | 4.33" |
| | Width W (Metric) | 110.0mm |
| | Print Method | Thermal transfer |
| | | |
| Material and Specifications | Material | Polyester Film |
| | Material Shortcut | PET |
| | Operating Temperature | +40°F to +300°F (+4°C to +82°C) |
| | | |

556-00189



| | | |
|-----------------------------|-----------------------------|------------|
| Material and Specifications | ROHS Compliant | Yes |
| Logistic and Packaging | | |
| | Package Quantity (Imperial) | 1 |
| | Package Quantity (Metric) | 1 |
| | Customs Number(Schedule B) | 9612101000 |
| | Weight (imperial) | 0.662lbs |
| | Weight (Metric) | 0.15kg |